





Date: 12.05.2025

Ref.: AA-ONHP-2017/3/EC/Jun-25/01

Head of Office, Integrated Regional Office, Guwahati Ministry of Environment, Forest and Climate Change, 4th Floor, HOUSEFED Building, G.S. Road, Rukminigaon, Guwahati – 781022 (Assam)

**Subject**: Six-Monthly Report on progressive compliance to Environmental Clearance (EC) conditions for Expansion in Onshore Oil & Gas Exploration & Appraisal and Early production in AA-ONHP-2017/3 Hydrocarbon block falling in Dist.-Tinsukia, Assam.

Ref.: 1. EC letter no. SEIAA.1606/2021/EC/1432 dated 07.05.2021 and corrections (corrigendum) in EC vide letter no. SEIAA.1606/2021/EC/1453 dated 26.07.2021.

- 2. Expansion in EC vide EC Identification No. EC22B002AS193827 dated 25.08.2022.
- 3. Expansion in EC identification no. EC23C0302AS5773623N, SEIA File no.: SEIAA. 3712/2024 dated 01.06.2024

Dear Sir,

We are pleased to submit a point wise compliance status report of the conditions stipulated in the Environmental Clearance accorded by SEIAA, Assam for AA-ONHP-2017/3 Block for the period of October 2024 to March 2025.

Thanking You,

Yours faithfully, For Vedanta Ltd. (Div.: Cairn Oil & Gas)

Dr BR Digitally signed by Dr BR Jat

Dr. Bhoma Ram Jat Chief Manager Environment

Enclosures: As above

## Copy to:

- 1. The Member Secretary, Pollution Control Board, Assam
- 2. Regional Office, Central Pollution Control Board, Nongthymmai, Shillong, Meghalaya.
- 3. The Chairman, SEIAA, Assam

## **VEDANTA LIMITED**

Cairn Oil & Gas: ASF Center Tower A, 362-363, Jwala Mill Road, Phase IV, Udyog Vihar, Sector 18, Gurugram - 122016, Haryana, India T +91 124 459 3000 | F +91 124 414 5612 | www.cairnindia.com

Registered Office: Vedanta Limited, 1st Floor, 'C' wing, Unit 103, Corporate Avenue, Atul Projects, Chakala, Andheri (East), Mumbai – 400093, Maharashtra, India | T +91 22 664 34500 | F +91 22 664 34530 | www.vedantalimited.com

## SIX MONTHLY REPORT ON PROGRESSIVE COMPLIANCE TO ENVIRONMENTAL CLEARANCE CONDITIONS

Project name:	roject name: Onshore Oil & Gas Exploration & Appraisal & Early Production in AA-ONHP-201	
	Hydrocarbon block falling in DistTinsukia, Assam. (Block area – 268 sq.km)	
Environmental Clearance	1) SEIAA.1606/2021/EC/1432 dated 07.05.2021 for 8 nos. of E&A wells & 2 nos. of	
letter no.:	EPUs/ QPUs for Early production of 4000 BOPD Crude oil & 0.8 MMSCFD Natural gas.	
	2) SEIAA.1606/2021/EC/1453 dated 26.07.2021 for Corrections (Corrigendum) in EC dtd. 07.05.2021	
	3) SEIAA. 3066/2022 & EC Identification no. EC22B002AS193827 dated 25.08.2022 -	
	for additional 6 nos. of E&A wells & 4 nos. of EPUs/QPUs for Early Production of 8000 BOPD crude oil & 4 MMSCFD Natural gas.	
	4) EC identification no. EC23C0302AS5773623N, SEIA File no.: SEIAA. 3712/2024 dated 01.06.2024	
Reporting period:	October 2024 to March 2025	
Project activity during	No Exploratory Drilling & Appraisal activities during the reporting period.	
reporting period:		
Overall status of activities	Project Scope in EC:	
w.r.t. project defined in EC:	1) Drilling of Exploratory & Appraisal Wells: 14 Nos.	
	2) Early Production: 12000 BOPD Crude oil and 4.8 MMSCFD associated Natural	
	gas.	
	Overall Status:	
	Three (03) exploratory and appraisal well have been drilled till March 2025.	
	1) Drilling of an exploratory Well at 'WP # Girujan Channel' Dag No. 37 (pt), 38 & 52	
	(pt), Mouza-Tirap, Revenue Circle -Margherita, district -Tinsukia, Assam, Location - Latitude - 27°23'37.1100"N & Longitude - 95°46'13.9000"E (Duration:	
	September 2022 to November 2022)	
	2) Drilling of an exploratory well at <b>WP # Kharang-1,</b> Village 3 no. Udaipur under Tirap Mauza of Margherita Revenue Circle, Dist.: Tinsukia, PIN 786125 (Latitude - 27° 22' 1.127" N Longitude- 95° 51' 5.171" E). (Duration: December 2022 to January 2023)	
	3) Drilling of an exploratory well at <b>WP # Jagun North-1</b> Village: Tikri Block, Margherita Revenue Circle, Dist.: Tinsukia, PIN 786125 (Latitude - 27°23' 53.38" N Longitude- 95°50' 45.99" E). (Duration: <b>July 2024 to Sep 2024</b> )	
	All the three wells are found to be dry & NO commercially viable discovery of hydrocarbons. Subsequently, the wells have been 'plugged and abandoned' as per the requirements of OISD Standards.	
	All the three drill sites WP# Girujan Channel, WP # Kharang-1 and WP #Jagun North-1 have been restored.	

S. No.	EC Conditions	Compliance Status
I.	Statutory Compliance	
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for nonforest purpose involved in the project.	Not applicable.  No drilling has been done in forest land till date.
ii.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.  Drill site/ Drilling activities do not involve protected areas and ESZ areas.
iii.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific	Wildlife Conservation Plan has been prepared for the block and submitted to PCCF-WL vide letter no.

S.	EC Conditions	Compliance Status
No.		
	Conservation Plan/ Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of Schedule-I species in the study area)	<ul> <li>WLCP/AA-4/1 dated 05/06/2021. Following measures was adopted:</li> <li>Fencing was done around the well pads including campsite to prevent any encounter with wild animals.</li> <li>Awareness program have been carried out among working personnel involved in the project activity.</li> <li>Road signage were provided along the roadside indicating the maximum speed limit near the project site.</li> </ul>
iv.	The Project proponent shall obtain Consent to	Complied.
	Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/Committee.	Consent to Establishment (CTE) was obtained vide letter no. WB/T-282/20-21/107/271 dtd. 01.07.2021. Consent to Establishment (CTE) obtain vide letter no. WB/T-299/21-22/387 dtd. 08.09.2022. (Additional 6 nos. wells)  Consent to Establishment (CTE) was obtained vide letter no. WB/DIB/T-1105/2022-23/272/3484 dtd. 23.02.2024.
		Consent to Operate (CTO) was obtained from PCBA for <b>WP# Girujan Channel</b> , located at Mungong Ritu Pathar, Tirap, Margenrita, Tinsukia, Assam, vide letter No. WB/DIB/T-1080/22-23/06 dtd. 01.10.2022 and, For <b>WP# Kharang-1</b> located at Village-3 No. Udaipur under Tirap Mouza of Margherita Revenue Circle, Dist.: Tinsukia, Assam vide PCBA letter no. WB/DIB/T-985/Pt-11/21-22/200 dtd. 28.02.2023.  Consolidated Consent and Authorisation (CCA)/ Consent to Operate & Hazardous Waste Authorisation
		(CTO&HWA) was obtained from PCBA for <b>WP # Jagun North-1</b> in AA-ONHP-2017/3 block, Margherita Revenue Circle, Dist.: Tinsukia vide letter no. WB/DIB/T-1105/2022-23/318/1380 dtd. 09.08.2024.
٧.	The project proponent shall obtain authorization	Complied.
	under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Authorization under the Hazardous and other Waste Management Rules, 2016 was obtained vide letter no. WB/T-311/21-22/361 dated 26.10.2022 for WP# Girujan Channel, located at Mungong Ritu Pathar, Tirap, Margenrita, Tinsukia, Assam and for WP# Kharang-1 located at Village-3 No Udaipur under Tlrap Mouza of Margherita Revenue Circle, Dist.: Tinsukia, Assam vide PCBA letter no. WB/DIB/T-1080/22-23/17 dtd.15.06.2023.
		Authorization under the Hazardous and other Waste Management Rules, 2016 was obtained vide letter no. WB/DIB/T-1105/2022-23/318/1380 dtd. 09.08.2024 for <b>WP # Jagun North-1</b> in AA-ONHP-2017/3 block, Margherita Revenue Circle, Dist.: Tinsukia.
vi.	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of	Hazardous chemicals was handled as per the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended from time to time. The trucks/ tankers used for

S.	EC Conditions	Compliance Status
No.	Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	transportation of Hazardous Waste complied with the provisions of the Motor Vehicle Act, 1988 and the rules.
II.	Air quality monitoring and preservation	
i.	The project proponent shall install 24X7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. Environmental monitoring was carried out for predrilling, during drilling and post drilling phases for respective the well pads, WP # Girujan Channel, WP-Kharang-1 & WP-Jagun North-1. DG sets were installed with adequate stack heights and DG stack emission monitoring were carried out. All parameters were found in prescribed limits.
ii.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	Complied.  Environmental monitoring was carried out for predrilling, during drilling and post drilling phases for respective the well pads, WP # Girujan Channel, WP-Kharang-1 & WP-Jagun North-1. All parameters were found in prescribed limits. Water sprinkling carried out at site for dust suppression.
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/ criterion parameters relevant to the main pollutants released (e.g. PM1O and PM2.5 in reference to PM emission, and S02 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.	Complied.  Ambient Air Quality monitoring was carried out for pre-drilling, during drilling and post drilling phases for respective the well pads, WP # Girujan Channel, WP-Kharang-1 & WP-Jagun North-1. All parameters were found in prescribed limits.
iv.	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/ SPCB guidelines.	Complied.  Adequate stack height was provided with the DG sets installed at the well pads, WP # Girujan Channel, WP# Kharang-1 & WP# Jagun North-1. DG Stack emission was also carried out in during drilling phase.  All parameters are found in prescribed limits.
V.	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Complied.  Raw material used for drilling such as Barite etc., were kept in bags under the shed. Other raw materials are kept with suitable cover.
vi.	National Emissions Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R.608(E) dated 21st July, 2010 and amended from time to time shall be followed.	Not relevant to the Oil & Gas exploration & production projects.
vii	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 <sup>th</sup> November 2009 shall be complied with.	Complied.  Ambient Air Quality monitoring was carried out for pre-drilling, during drilling and post drilling phases for respective the well pads, WP # Girujan Channel, WP-Kharang-1 & WP-Jagun North-1. All parameters were

S.	EC Conditions	Compliance Status
No.		found in prescribed limits. Water sprinkling carried out at site for dust suppression
III.	Water quality monitoring and preservation	out at site for dust suppression
i.	The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the	Complied  ETP was installed at site to treat the effluent during drilling. The treated effluent has been used for drilling mud preparation, dust suppression and other misc. uses within the operational areas.
	projects achieving ZLD)	Logbooks for ETP operation were maintained. Flowmeter was provided in inlet and outlet wherever required.  Provision for septic tank and soak pit were made considering the small volume of domestic effluent and very short-term operation.
ii.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).	Complied.  ETP with physiochemical treatment was installed (Oil & grease trap, skimmer cum clarifier, PSF, ACF, treated storage tank, filter press).  Treated effluent was reused for various purposes like mud preparation, dust suppression, floor washing etc. There was no discharge of effluent outside the project premises.
iii.	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.	No discharge of treated effluent. The effluent from drilling activities has been collected in HDPE lined pits and treated in ETP and the treated effluent was reused for drilling mud preparation, dust suppression and other misc. uses.  Environmental monitoring was done for untreated and treated effluent for both well pads. Parameters are found within the limit.
iv.	Total freshwater requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/ CGWA in this regard	Complied.  No ground water extracted for this project.
V.	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Complied.  Wastewater was collected in separate pit. No mixing with storm water.
vi.	The company harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilized the same for different industrial operations within the plant.	Drilling is a very short-term activity for a temporary period. Roof top rainwater harvesting is not applicable / feasible since there are no permanent building structures.  Rainwater Harvesting will be provided in development & production phase for any future well.
vii	The DG sets shall be equipped with suitable Pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.	Complied.  DG sets were provided with adequate stack height.  DG stack monitoring was carried out in dring drilling phase. All parameters are found to be within the prescribed limits.
IV	Noise monitoring and preservation	
i.	Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Complied.  DG sets are installed with acoustic enclosures at well pads.

S.	EC Conditions	Compliance Status
No. ii.	The overall noise levels in and around the plant area	Complied.
	shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation.	DG sets were provided with acoustic enclosures for control of noise. Work zone noise and ambient Noise monitoring were carried out at drill sites. All parameters are found within the prescribed standards.
iii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz, 75 dB(A) during daytime and 70 dB(A) during night-time.	Complied.  Work zone noise and ambient Noise monitoring were carried out at drill sites. All parameters are found within the prescribed standards.
٧.	Energy conservation measures	
i.	The energy sources for lighting purposes shall preferably be LED based	Complied.  LED bubs/ tube lights were provided at the drill sites.
VI.	Waste management	5 1
i.	Hazardous chemical shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	Not applicable.  Not relevant to the oil & gas exploration & production projects, therefore not applicable.
ii.	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	Not Applicable
iii.	The Company shall undertake waste minimization measures as below:	
	a. Metering and Control of quantities of active ingredients to minimize waste.	Not Applicable
	b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.	Not Applicable
	c. Use of automated filling to minimize spillage.	Not Applicable
	d. Use of Close Feed system into batch reactors.	Not Applicable
	e. Venting equipment through vapors recovery system.	Not Applicable
	f. Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	Not Applicable
VII.	Greenbelt	
i.	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along roadsides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	Complied Exploratory drilling is a very short term & temporary activity. In case of commercially viable discovery of hydrocarbons and during development & production of future wells greenbelt will be developed.
VIII.	Safety, Public hearing and human health issues	
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Complied. ERP (Emergency Preparedness Plan) prepared and made available at drill site. Periodic mock drills were carried out at both drill sites.
ii.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Complied.  Adequate fire protection provision was made at the well pads.
iii.	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	Complied.  Personal Protection Equipment (PPEs) are provided at the drill sites.

S.	EC Conditions	Compliance Status
No.		
iv.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Preemployment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees oh handling of chemicals shall be imparted.	Complied.  Regular trainings and awareness program were conducted at the well pads.
v.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.  Occupational health surveillance of the workers	Complied.  No housing for construction labour was provided.  Labours were hired locally from the nearby areas.  Complied.
VI.	shall be done on a regular basis and records maintained as per the Factories Act.	Regular health check-up was done for workers at the well pads.
vii	There shall be adequate space inside the plant premises ear marked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	Complied.  Designated parking area have been provided at drill sites.
IX.	Corporate Environment Responsibility	
i.	The project proponent shall comply with the provisions contained in this Ministry's IM vide F.No. 22-65/2017-IA Ill dated 1 <sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.	Complied. Various programs/ activities have been undertaken to the nearby community.
ii.	The company shall have a well laid down environment policy duly approve by the Board of Directors. The environment policy should prescribe for standards operating procedures to have proper checks and balances and to bring into focus any infringements/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental/ forest/ wildlife norms/ conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MOEF& CC as a part of six-monthly report.	Complied.  Health, Safety, Environmental & Sustainability Policy have been made and implemented, duly signed by the Dy. CEO of the company.
iii.	A separate environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Complied Environment team with qualified & experienced professional is setup in the company. Head of the Environment reports to SBU president, who reports to Dy. CEO.
iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be	Complied.  EMP including environmental monitoring has been prepared and implemented during drilling operation.  An expenditure of INR 1.153 Crores has been incurred for the various environment management activities in FY: 2023-24 including waste management, environment monitoring etc.

S.	EC Conditions	Compliance Status
No.		
	reported to the Ministry/Regional Office along with the Six -Monthly Compliance Report.	
٧.	Self-environmental audit shall be conducted	Complied.
	annually. Every three years third party environmental	During drilling, audit/ inspection was carried out by
	audit shall be carried out.	HSE department.
Χ.	Miscellaneous	
i.	The project proponent shall make public the	Complied.
	environmental clearance granted for their project	Advertisement was published in 'Assam Tribune' and
	along with the environmental conditions and	'Dainik Janambhumi' newspapers on 04.09.2022 &
	safeguards at their cost by prominently advertising it	03.09.2022 respectively.
	at least in two local newspapers of the District or	
	State, of which one shall be in the vernacular	
	language within seven days and in addition this shall	
	also be displayed in the project proponent's website	
	permanently.	
ii.	The copies of the environmental clearance shall be	Complied.
	submitted by the project proponents to the Heads of	Copies of the environmental clearance has been
	local bodies, Panchayats and Municipal Bodies in	submitted to the Heads of Local and Municipal
	addition to the relevant offices of the Government	Bodies in addition to the relevant government offices
	who in turn has to display the same for 30 days from	vide letter dated 16.01.2024.
:::	the date of receipt.	Commissed
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance	<b>Complied.</b> Environmental Compliance is being prepared and
	conditions, including results of monitored data on	uploaded on website on regular basis.
	their website and update the same on half-yearly	uptoaueu on website on regutal basis.
	basis.	
iv.	The project proponent shall monitor the criteria	Complied.
	pollutants level namely, PM <sub>10</sub> , SO <sub>2</sub> , NOx (ambient	Environmental Monitoring was done for pre-drilling,
	levels as well as stack emissions) or criteria sectoral	during drilling and post drilling stages for well pads. All
	parameters, indicated for the projects and display	parameters were found within the prescribed
	the same at a convenient location for disclosure to	standards.
	the public and put on the website of the company.	
٧.	The project proponent shall submit six-monthly	Complied.
	reports on the status of the compliance of the	Six-monthly compliance report is being prepared and
	stipulated environmental conditions on the website	submitted regularly.
	of the ministry of Environment, Forest and Climate	
,.:	Change at environment clearance portal.	Complied
vi.	The project proponent shall submit the	Complied.
	environmental statement for each financial year in Form-V to the concerned State Pollution Control	Form-V was prepared and submitted to PCB, Assam for both the well pads vide letter Girujan/Form-V/24/1
	Board as prescribed under the Environment	dated 24.09.2024 and Kharang-1/Form-V/24/1 dated
	(Protection) Rules, 1986, as amended subsequently	24.09.2024. Form-V for WP-Jagun North1 will be
	and out on the website of the company.	submitted in time for the FY2024-25.
vii	The project proponent shall inform the Regional	Noted for compliance.
	Office as well as the Ministry, the date of financial	<u> </u>
	closure and final approval of the project by the	
	concerned authorities, commencing the land	
	development work and start of production operation	
	by the project.	
viii	The project authorities must strictly adhere to the	Complied.
	stipulations made by the State Pollution Control	Conditions stipulated in CTE & CTO were strictly
	Board and the State Government.	followed towards prevention & control of environment.
ix.	The project proponent shall abide by all the commitments and recommendations made in the	Complied.

S.	EC Conditions	Compliance Status
No.		
	EIA/ EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	EMP has been implemented towards pollution prevention & control and safeguard of environment and ecology.
x.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment Forest and Climate Change (MoEF&CC).	Noted
xi.	Concealing factual data or submission of false/ fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted
xii.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted
xiii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted
xiv.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Noted
xv.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Lawrelating to the subject matter.	Noted
xvi.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Noted